



INDUSTRIAL CABINET

MODEL NO: **APIC900H**

Thank you for purchasing a Sealey product. Manufactured to a high standard, this product will, if used according to these instructions, and properly maintained, give you years of trouble free performance.

IMPORTANT: PLEASE READ THESE INSTRUCTIONS CAREFULLY. NOTE THE SAFE OPERATIONAL REQUIREMENTS, WARNINGS & CAUTIONS. USE THE PRODUCT CORRECTLY AND WITH CARE FOR THE PURPOSE FOR WHICH IT IS INTENDED. FAILURE TO DO SO MAY CAUSE DAMAGE AND/OR PERSONAL INJURY AND WILL INVALIDATE THE WARRANTY. KEEP THESE INSTRUCTIONS SAFE FOR FUTURE USE.



Refer to instruction manual

1. SAFETY

1.1. GENERAL SAFETY

- WARNING!** Ensure Health & Safety, local authority, and general workshop practice regulations are adhered to when using this cabinet.
- ✓ Locate cabinet in a suitable work area.
- ✓ Keep the work area clean, uncluttered and ensure there is adequate lighting.
- WARNING!** Use cabinet on level and solid ground, preferably concrete.
- ✓ Keep the cabinet clean and tidy in accordance with good workshop practice.
- ✓ Keep children and unauthorised persons away from the work area.
- ✗ **DO NOT** use the cabinet for any purpose other than that for which it is designed.
- ✗ **DO NOT** use the cabinet outdoors.
- ✗ **DO NOT** place the cabinet in a damp or wet location or an area where there is condensation.
- ✗ **DO NOT** clean the cabinet with any solvents which may damage the surfaces or the protective coating.
- ✗ **DO NOT** move the cabinet when there are items placed inside.
- ✗ **DO NOT** overload the cabinet.



2. INTRODUCTION

Industrial quality, double door, freestanding cabinet. Unit easy to assemble with minimal tools required. Durable, scuff resistant design. Reinforced steel doors with zinc plated locking bars provide 3-point locking mechanism. Supplied with two coded keys. Ideal for home, office, garage or workshop use.

3. SPECIFICATION

Model No:..... APIC900H

Dimensions:


Overall Width: 900mm, Depth: 450mm, Height: 900mm.

Internal Width: 850mm, Depth: 420mm, Height: 810mm.

4. CONTENTS


4.1. Unpack the contents of the box and check against the parts list/diagram. If there are any parts missing, contact your local Sealey dealer.

| Part No. | Part Name | No. of Parts |
|----------|---------------------|--------------|
| A1 | Rear Panel | 1 |
| A2 | Rear Panel | 1 |
| B1 | Left Side Panel | 1 |
| B2 | Right Side Panel | 1 |
| C1 | Left Door | 1 |
| C2 | Right Door | 1 |
| D | Top | 1 |
| E | Bottom | 1 |
| F | Inner Face Plate | 1 |
| G | Outer Face Plate | 1 |
| J | Plastic Stop | 4 |
| K | Locking Pin Locator | 2 |
| L | Hinge Pin Locator | 4 |
| M | Screw | 12 |
| N | Hinge Pin | 4 |




5. ASSEMBLY


5.1. Assemble the cabinet following the numbered sequence below, referencing the parts list and diagram overleaf. Use a trestle table or a workbench for convenience if required.



7



8



ENVIRONMENT PROTECTION

Recycle unwanted materials instead of disposing of them as waste. All tools, accessories and packaging should be sorted, taken to a recycling centre and disposed of in a manner which is compatible with the environment. When the product becomes completely unserviceable and requires disposal, drain any fluids (if applicable) into approved containers and dispose of the product and fluids according to local regulations.



REGISTER YOUR PURCHASE HERE

Note: It is our policy to continually improve products and as such we reserve the right to alter data, specifications and component parts without prior notice.

Important: No Liability is accepted for incorrect use of this product.

Warranty: Guarantee is 12 months from purchase date, proof of which is required for any claim.

Sealey Group, Kempson Way, Suffolk Business Park, Bury St Edmunds, Suffolk. IP32 7AR

01284 757500

sales@sealey.co.uk

www.sealey.co.uk