



Section 1. Product and Company Identification.

1.1 Model Number; SCS025 v1
1.2 Description; Gloss Paint 500ml, Black - Pack of 6

1.3 Manufacturer;

Jack Sealey Ltd. t/a Sealey Group. Kempson Way, Bury St. Edmunds, Suffolk, IP32 7AR UK	Jack Sealey (EU) Ltd t/a Sealey Group. Farney Street, Carrickmacross, Co. Monaghan, A81 PK68 Ireland
--	--

technicalcompliance@sealey.co.uk

1.4 Emergency telephone number; 44 (0) 1284 757 500 (Office Hours)

Date of source compilation; 13/12/2024

Section 2. Hazards Identification.

2.1 Classification of the substance or mixture.

H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

2.2 Label elements.

Hazard pictogram(s)



Signal Word.

Danger

Hazard statements;

H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.



Section 2. Hazards Identification. Continued.

Precautionary statements;

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Pressurized container: Do not pierce or burn, even after use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves, eye and face protection.

P305+351+338 IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P312 Wash hands thoroughly after handling.

P337+313 If eye irritation persists: Get medical advice/attention.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.

P501 Dispose of contents/containers in accordance with local regulations.

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3 Other hazards.

No data available.

Section 3. Substances.

3.1 Chemical Name (substance)	3.1 CAS No.	3.2 Concentration Volume	Classification	
			Hazard Class & Category Code	Hazard Statements ¹
Acetone	67-64-1	25 – 50 %	-	-
Petroleum gases	68476-85-7	25 – 50 %	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340
Xylene	1330-20-7	5 – 10 %	-	-
2-butoxyethanol	111-76-2	2.5 – 3.5 %	-	-
2-methoxy-1-methylethyl acetate	108-65-6	1 – 2.5 %	Flam. Liq. 3	H226
Ethylbenzene	100-41-4	1 – 2.5 %	-	-
Solvent naptha	64742-95-6	1 – 2.5 %	Carc. 1B Muta. 1B Asp. Tox. 1	H350 H340 H304
Methyl methacrylate	80-62-6	0.005 – 0.05	-	-
Butyl methacrylate	97-88-1	0.005 – 0.05	-	-
2-methoxypropyl acetate	70657-70-4	0.0000001 – 0.005 %	Flam. Liq. 3 Repr. 1B STOT SE 3	H226 H360 H335
Cumene	98-82-8	0.0000001 – 0.005 %	-	-

¹For full text of Statements, see Section 16.



Section 4. First Aid Measures.

4.1 Description of first aid measures

Inhalation

Remove casualty to fresh air and keep comfortable for breathing.

Skin Contact

Wash skin with plenty of water.

Eye Contact

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do so.

Continue rinsing.

If eye irritation persists, get medical advice/attention.

Ingestion

No data available.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms / effect May cause drowsiness or dizziness.

Inhalation Inhalation hazard.

Skin contact None under normal conditions.

Eye contact Eye irritation.

Ingestion None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Section 5. Fire Fighting Measures.

5.1. Extinguishing media

Carbon dioxide. Dry power. Foam. Water spray.

DO NOT USE heavy water stream.

5.2. Special hazards arising from the substance or mixture

Extremely flammable aerosol.

Pressurised container, may burst if heated.

Toxic fumes may be released.

5.3. Advice for fire-fighters

Do not attempt to take action with suitable fire fighting protective equipment, including self-contained breathing apparatus.



Section 6. Accidental Release Measures.

6.1. Personal precautions, protective equipment and emergency procedures
Stop leak if safe to do so.

6.2. Environmental precautions
Prevent from entering sewars / water courses.

6.3. Methods and material for containment and cleaning up
Absorb spillage with sand or earth. Contain spills with dike(s) or absorbents.
Dispose of in accordance with Section 13.

6.4. Reference to other sections
See Section 7 for information on Safe Handling
See Section 8 for information of Personal Protective Equipment.
See Section 13 for information on disposal.

Section 7. Handling and Storage.

7.1. Precautions for safe handling
Keep away from heat / hot surfaces / sources of ignition.
DO NOT eat, drink or smoke while using this product.
Wash hands after handling this product.
Avoid breathing dust / fumes / gas / mist / vapours / spray.
Avoid contact with eyes / skin.
Wear Personal Protective Equipment.

7.2. Conditions for safe storage, including any incompatibilities
Store in cool, well-ventilated area.
Store away from heat / ignition sources.
Protect from sunlight.
Do not expose to temperatures exceeding 50°C.
Prevent unauthorised access to storage area.

7.3. Specific end use(s)
Intended for use as paint, Model Number identified in 1.1 with Description stated in 1.2.



Section 8. Exposure Controls/Personal Protection.

8.1. Control parameters

Workplace exposure limits.

Substance	CAS number	Workplace exposure limit.			
		Long term.		Short term.	
		ppm	mg.m ³	ppm	mg.m ³
Acetone	67-64-1	500	1210	1500	3620
Petroleum gases	68476-85-7	1000	1750	1250	2180
Xylene	1330-20-7	50	220	100	441
2-butoxyethanol	111-76-2	25	123	50	246
2-methoxy-1-methylethyl acetate	108-65-6	50	274	100	548
Ethylbenzene	100-41-4	100	441	125	552
Methyl methacrylate	80-62-6	50	208	100	416
Cumene	98-82-8	25	125	50	250

8.2. Exposure controls

Appropriate Engineering Controls

Ensure adequate ventilation.

DO NOT eat / drink in the work area.

DO NOT smoke in work area.

Wash hands after working period and before eating, smoking or using the toilet.

Remove contaminated clothing.

Eye/Face Protection

Use approved safety goggles.

Skin Protection

Use solvent resisting protective gloves.

Respiratory Protection

In case of insufficient ventilation, use respiratory equipment that shall protect against Workplace Exposure Limits.



Section 9. Physical and Chemical Properties.

9.1. Information on basic physical and chemical properties

The following information is not a technical specification or sales specification.

(a) Appearance:	Liquid. Black.
(b) Odour:	Solvent.
(c) Odour threshold;	No data available.
(d) pH:	No data available.
(e) Melting point/freezing point;	No data available.
(f) Boiling point;	-40 to -2 °C.
(g) Flash point;	< -40 °C
(h) Evaporation rate;	No data available.
(i) Flammability (solid, gas);	Extremely flammable aerosol.
(j) Upper/lower explosive limits;	Upper 1.4 vol %. Lower 10.9 vol %.
(k) Vapour pressure;	590 – 1760 kPa
(l) Vapour density;	No data available.
(m) Relative density;	No data available.
(n) Solubility(ies);	No data available.
(o) Partition coefficient: n-octanol/water;	No data available.
(p) Auto-ignition temperature;	365 °C.
(q) Decomposition temperature;	No data available.
(r) Viscosity;	< 20.5 mm ² /s
(s) Explosive properties;	Pressurised container. May burst if heated.
(t) Oxidising properties.	No data available.

9.2 Other information

Does not contain endocrine distributing properties.

Section 10. Stability and Reactivity.

10.1. Reactivity	Extremely flammable aerosol Pressurised container, may burst if heated.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reactions known under normal conditions.
10.4. Conditions to avoid	Keep away from heat / hot surfaces / sources of ignition.
10.5. Incompatible materials	No data available.
10.6. Hazardous decomposition products	No data available.

Section 11. Toxicological Information.

11.1. Information on toxicological effects

No data available.



Section 12. Ecological Information.

12.1. Toxicity	No data available.
12.2. Persistence and degradability	No data available.
12.3. Bioaccumulative potential	No data available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	Does not contain PBT and/or vPvB substances $\geq 0.1\%$.
12.6. Other adverse effects	No data available.

Section 13. Disposal Considerations.

13.1. Waste treatment methods

Dispose of in accordance with local authority regulation.
DO NOT pierce or burn container.

Section 14. Transport Information.

ADR. International Carriage of Dangerous Goods by Road.

14.1. UN number	UN 1950
14.2. Name and Description	AEROSOLS, flammable
14.3. Transport hazard class(es)	2
14.4. Packing group	-
14.5. Environmental hazards	Does not present an environmental hazard.
14.6. Special precautions for user	No special precautions necessary.

IATA. International Air Transport Association.

14.1. UN number	UN 1950
14.2. UN Proper Shipping Name/Description	AEROSOLS, flammable
14.3. Transport hazard class(es)	Division 2.1
14.4. Packing group	-
14.5. Environmental hazards	Does not present an environmental hazard.
14.6. Special precautions for user	No special precautions necessary.

IMDG. International Maritime Dangerous Goods.

14.1. UN number	UN 1950
14.2. UN proper shipping name	AEROSOLS, flammable
14.3. Transport hazard class(es)	2
14.4. Packing group	-
14.5. Environmental hazards	Does not present an environmental hazard.
14.6. Special precautions for user	No special precautions necessary.
14.7. Transport in bulk – Maritime only.	Bulk transport is not applicable to this product



Section 15. Regulatory Information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
No data available.

15.2. Chemical safety assessment
No data available.

Section 16. Additional Information.

Full text of Statements used in Section 3;

H220 Extremely flammable gas.
H226 Flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
H335 May cause respiratory irritation.
H340 May cause genetic defects.
H350 May cause cancer.
H360 May damage fertility or the unborn child.

The above information is believed to be accurate and represents the best information currently available.

No warranty is expressed or implied by the above information.

We assume no liability resulting from use of the above information.

The end user should conduct their own investigations to determine the suitability of the above information for their particular purpose.

Issue level	Date	Revisions
1	24/03/2016	First issue.
2	15/09/2016	Sections 3, 14, 15 & 16.
3	25/09/2025	Section 3. Entire review of Safety Data Sheet.

End of Safety Data Sheet.