


# RADIUS, COVE & CAVETTO




## RADIUS CUTTER

For coves and part of a rule joint.  
All cutters are two fluted unless stated.



R mm	R inch	D mm	C mm	Product Ref.	Shank Diameter				
					1/4"	8mm	3/8"	12mm	1/2"
1.6	1/16	3.2	9.5	<b>12/03</b>	★£27.36	-	-	-	-
2.4	3/32	4.8	11.0	<b>12/05</b>	★£29.31	-	-	-	-
3.0	-	6.0	15.0	<b>12/3</b>	£30.94	◆★£31.24	-	-	-
3.2	1/8	6.4	11.0	<b>12/31</b>	★£31.24	-	-	-	-
4.0	-	8.0	12.7	<b>12/4</b>	£32.46	-	-	-	-
5.0	-	10.0	18.0	<b>12/5</b>	£34.39	£38.25	◆£35.00	-	-
6.3	1/4	12.7	19.0	<b>12/6</b>	£46.50	-	-	-	£43.96
7.0	-	14.0	18.0	<b>12/7</b>	£42.02	-	-	-	£42.02
8.0	5/16	16.0	19.5	<b>13/1</b>	£49.05	£49.05	-	-	£49.05
9.0	-	18.0	19.0	<b>13/2</b>	£51.59	-	-	-	£51.59
9.5	3/8	19.1	31.7	<b>13/20</b>	-	-	-	-	£66.12
10.0	-	20.0	18.0	<b>13/3</b>	£55.94	-	-	-	£55.94
11.1	7/16	22.2	31.7	<b>13/4</b>	-	-	-	-	£76.27
12.7	1/2	25.4	15.9	<b>13/30</b>	-	-	-	-	£60.43
16.0	5/8	32.0	31.7	<b>13/60</b>	-	-	-	-	£77.02
19.1	3/4	38.1	31.7	<b>15/1</b>	-	-	-	-	£88.89
25.4	1	50.8	31.7	<b>15/2</b>	-	-	-	£100.14	£100.14







★ Solid Carbide insert ◆ Single flute



## COMPLETE ROUTING BOOK



An essential read for all router users.  
Written by Alan Holtham.  
See page 227 for full details.

Product Ref.  
**BOOK/CR**




## BEARING GUIDED COVE

The two bearings supplied offer the means of cutting different depth of mouldings.





R mm	R inch	D mm	C mm	B mm	B2 mm	Product Ref.	Shank Diameter	
							1/4"	1/2"
1.6	1/16	12.7	12.7	9.5	12.7	46/261	£35.00	£34.39
3.2	1/8	15.9	12.7	9.5	12.7	46/262	£43.96	£43.96
4.8	3/16	19.1	14.3	9.5	12.7	46/263	£46.50	£46.50
6.3	1/4	22.2	14.3	9.5	12.7	46/260	£47.70	£47.70
7.9	5/16	25.4	14.3	9.5	12.7	46/264	£49.05	£49.05
9.5	3/8	28.5	14.0	9.5	12.7	46/270	£55.35	£55.35
12.7	1/2	34.9	16.0	9.5	12.7	46/280	£64.90	£64.90
16.0	5/8	41.3	18.0	9.5	12.7	46/281	-	£85.25
19.1	3/4	50.8	25.4	12.7	16.0	46/282	-	£79.55
25.4	1	63.5	25.4	12.7	16.0	46/283	-	£111.39



## SHANK MOUNTED BEARING GUIDED RADIUS

It is advisable that the template used is 5mm thicker than the cut length of the cutter.





Following a template.

### DRAINING GROOVE JIG

See page 161 for full details.




Product Ref. **DG/JIG**



R mm	R inch	D mm	C mm	B mm	Product Ref.	Shank Diameter	
						1/4"	1/2"
6.35	1/4	12.7	9.5	12.7	13/40	£32.46	-
7.9	5/16	15.9	11.0	16.0	13/41	£45.18	-
9.5	3/8	19.0	11.0	19.0	13/42	£52.78	-
9.5	3/8	19.0	32.0	19.0	13/50	-	£60.43

## BEARING GUIDED CAVETTO

Two bearings are supplied for an optional lower quirk. Larger bearing removes the bottom quirk.



R mm	D mm	C mm	B mm	B2 mm	Product Ref.	Shank Diameter	
						1/4"	1/2"
5.0	30.0	13.0	12.7	16.0	46/50	£55.35	£55.35
8.0	35.0	16.0	12.7	16.0	46/52	£61.03	£61.03